



CODIGO


RM64ACT

DESCRIPCION



Macho recto 2 x 32 A + C



RECOMMENDED PCB HOLE LAYOUT
COMPONENT SIDE



- ⚠ CONNECTOR MEETS REQUIREMENT OF DIN 41612
- ⚠ MATERIAL :
 - HOUSING: GLASS-FILLED PBT, COLOR GREY, UL 94V-0
 - CONTACT: COPPER ALLOY
- ⚠ CONTACT TAIL DIMENSION (THICKNESS x WIDTH x LENGTH)
 - T : 0.48±0.03 x 0.48±0.03 x 4±0.2
 - T2.5 : 0.48±0.03 x 0.48±0.03 x 2.5±0.2
- ⚠ CONTACT FINISH (OPTION IN PART NUMBER)
 - 1: 30µ"(0.75µm) GOLD PLATING ON MATING AREA, TIN PLATING ON TAIL AREA, FLASH GOLD PLATING ON NON-MATING AREA, NICKEL UNDERPLATE ALLOWER
 - 2: 15µ"(0.38µm) GOLD PLATING ON MATING AREA, TIN PLATING ON TAIL AREA, FLASH GOLD PLATING ON NON-MATING AREA, NICKEL UNDERPLATE ALLOWER
 - BLANK: FLASH GOLD PLATING ON MATING AREA AND NON-MATING AREA, TIN PLATING ON TAIL AREA, NICKEL UNDERPLATE ALLOWER
- ⚠ CONNECTOR PRINTED WITH COMPANY NAME, PART NUMBER, AND BATCH NUMBER
- ⚠ CONTACT MATING SIDE LENGTH
 - STANDARD : 5.05-0.25mm
 - EXTENDED : 5.6±0.2/-0.05mm
 - SHORT : 4.25±0.1/-0.05mm



RECOMMENDED HOLE SPECIFICATIONS
SECTION A-A